



Professional Series



Deodorizer • Disinfectant
Mildewstat • Virucide* • Sanitizer

Ready-to-Use

- Kills 99.99% of Germs[†]
- Original Eucalyptus Scent
- Air Freshener
- Multi-Purpose
- Fabric Refresher



Item#	Packaging	Shipping Wt. (lbs.)	Cube Size (ft. ³)
10062-Q	12x1 Quart	28	0.93

EPA Reg. No. 66243-1



Clean Control Corporation
Made in the USA
PO Box 7444 • Warner Robins GA 31095
Quality Assurance Hotline 800.841.3904
9:00am-4:00pm Mon.-Fri. (EST)
www.odobanprofessional.com



Professional Series

OdoBan® RTU

Deodorizer • Disinfectant

Mildewstat • Virucide* • Sanitizer

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

DIRECTIONS FOR USE

WHERE TO USE

OdoBan® Ready-to-Use (RTU) is noncorrosive and nonstaining to plastic, vinyl, synthetics, enamel, tile and most common metals. OdoBan® RTU can be used on nonporous surfaces such as walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, shelves, racks and carts. OdoBan® RTU may be used in hospitals, medical and dental offices, nursing homes, daycare centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, campgrounds, playgrounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, buses, ambulances, trains and taxis.

HOW TO APPLY

Spray 6-8 inches from surface. Clean with a brush, sponge or cloth. Do not breathe spray.

DEODORIZER DIRECTIONS: Air Freshener, Porous Surfaces: Apply a light spray into the air or onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc. **Hard Surfaces:** Apply directly to odor source such as garbage pails, bedpans, hampers, toilets, shower curtains, fireplaces, athletic and work shoes, etc. Use in sick rooms, closets, basements or anywhere there are odors.

DISINFECTION DIRECTIONS: OdoBan® RTU is a Hospital Disinfectant for precleaned surfaces, Bactericidal according to the AOAC Use Dilution Test Method, Virucidal* according to the virucidal qualification, Fungicidal according to the Fungicidal AOAC Use Dilution Test Method and a Mildewstat according to the EPA Mildew-Fungistatic guidelines against germs such as *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus* (Staph), Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecalis* (VREF), *Escherichia coli* (*E. coli*) 0157:H7, *Streptococcus pyogenes* (Strep), *Listeria monocytogenes*, *Serratia marcescens*, *Herpes Simplex Type 2, *Influenza A/Hong Kong, *Aspergillus niger*.

Disinfection/Virucidal*/Mildew Control Directions:

Preclean prior to disinfection. Apply to hard, nonporous surfaces as required. Treated surfaces must remain wet for 10 minutes. Wipe clean with a cloth or tissue.

SANITIZER DIRECTIONS: OdoBan® RTU is a sanitizer for precleaned, hard and nonporous nonfood contact surfaces according to the method for Inanimate Nonfood Contact Surface Sanitizer in 60 seconds against germs † such as *Streptococcus pyogenes* (Strep), *Escherichia coli* 0157:H7 (*E. coli*) (pathogenic strain), *Listeria monocytogenes*, *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*. **Sanitizing:** Remove heavy soil, then thoroughly clean surfaces. To sanitize, apply to nonfood contact surfaces as required. Let stand 60 seconds then wipe.

SAFETY PRECAUTIONS |

Hazards to Humans and Domestic Animals
CAUTION—Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse container. Wrap and put in trash.